

3-layer prefinished parquet

speed of installation
simplicity of installation
lifespan / durability
attractive prices
under floor heating
product range
possibility of refinishing
warmth / character



3-layer prefinished parquet is a parquet, made 100% of wood, with the perfect combination of aesthetic and practical values. From ecological point of view this parquet is irreproachable and health friendly. The original parquet appearance and natural texture of wood can be found in it. Installation and renovation could not be easier, since this parquet can be installed floating, with "click" system. If the planks are not glued on the surface, it is possible to disassemble it and use it again in another room.

High quality of 3-layer parquet is the result of advanced technology and constant control of production process. The perfect usage and durability parameters, the appropriate thickness, the number of varnish layers as well as the resistance all determine the uniqueness of the 3-layer parquet. The elimination of glue significantly shortens the assembling time.


The stability and firmness of the junction of individual floorboards are guaranteed by original click system. It withstands the strongest stresses among individual elements of the flooring at the same time being easy to disassemble. 3-layer parquet consists of three layers of natural wood, permanently connected by means of the ecological adhesive-bonded joint. The decorative layer of the product is sanded down and covered seven times with varnish finishing layers (acryl putty, acyl priming paint, ecological acryl varnish hardened with UV rays) or with natural oil.





An engineered construction of three-layer pre-finished wood flooring:



a three-strip design



a plank - a single-strip design



a fineline design






Grades of wood flooring related to the look of the top

Select grade – allows sound knots up to 8 mm and dark knots up to 2 mm in diameter (no clusters). It allows minimum differences in coloration and grain pattern without any sapwood.

Natural grade – a richer floor with more variation. The size of the knots is not limited, unless they affect the stability of the wood. Possible cracked knots can be filled with wood putty. This grade allows greater colour and grain pattern variations as well as thinner strips of sapwood. Stains are not allowed.

Rustic grade – a very vibrant selection full of character with obvious variations in colour and grain pattern. The size of knots is unlimited, unless they compromise the stability of boards. Possible cracked knots can be filled with wood putty. This grade allows healthy sapwood.

Plank section



CLICK



Thanks to the click system this parquet is easy to install, without special tools or knowledge. Provides quick and clean assembly without use of glue. Possibility of easy disassembling if necessary (change of flat, thorough renovation, etc). Damaged board can be easily replaced with new one.





3-LAYER PREFINISHED PARQUET - three strip

This type of flooring proves to be the most classic three-layer flooring. Despite the larger board dimensions (length cca. 2000 mm and width cca. 200 mm), these feature the closest resemblance to the classic solid wood flooring. The wear layer of each individual board is composed of three rows of strips.



OAK EXTRA



OAK SELECT



OAK NATURAL



OAK RUSTIC



OAK ANTIC



OAK NATURAL, WHITE WASHED



OAK SELECT, WHITE WASHED



OAK RED OILED



OAK CHAMONIX, BRUSHED, WHITE WASH, NATURAL



OAK GRENOBLE, BRUSHED, SMOKED, NATURAL OILED



OAK EDINBURGH, BRUSHED, SMOKED, NATURAL OILED



BEECH EXTRA



BEECH SELECT



BEECH NATURAL





BEECH RUSTIC



BEECH NATURAL HONEY

CLICK



2200/2250 x 190/207 x 15 mm



BEECH STAMED SELECT



BEECH STAMED NATURAL



BEECH STAMED RUSTIC



BEECH STAMED ANTIC



ASH EXTRA



ASH SELECT



ASH NATURAL



ASH SELECT WHITE WASHED



ASH NATURAL WHITE WASHED



ASH BRANDY



ASH MOKKA



MAPLE SELECT



MAPLE NATURAL



CHERRY AMERICAN SELECT



CHERRY AMERICAN NATURAL



CHERRY NATURAL



3-LAYER PREFINISHED PARQUET - three strip

This type of flooring proves to be the most classic three-layer flooring. Despite the larger board dimensions (length cca. 2000 mm and width cca. 200 mm), these feature the closest resemblance to the classic solid wood flooring. The wear layer of each individual board is composed of three rows of strips.



ALDER SELECT



MAPLE CANADIAN SELECT



MAPLE CANADIAN NATURAL



ACACIA STAMED



HORNBEAM



WALNUT AMERICAN NATURAL



WALNUT



BIRCH SELECT



KEMPAS SELECT



JATOBA SELECT



WENGE SELECT



PANGA PANGA SELECT



TEAK SELECT



DOUSSIE SELECT




MERBAU SELECT



PADOUK SELECT

CLICK



2200/2250 x 190/207 x 15 mm



BAMBOO LIGHT HORIZONTAL



BAMBOO DARK HORIZONTAL



BAMBOO LIGHT VERTIKAL



BAMBOO DARK VERTIKAL



SAPELLI NATURAL



MAHAGONI SELECT



ALOMA SELECT



HEVEA SELECT



MUTENYE



TALI



IROKO SELECT





3-LAYER PREFINISHED PARQUET - one strip

Country style, traditional boards, classic hardwood flooring – all these are terms used for wood floorings to which the closest in its appearance is the three-layer construction, the top layer consisting of a single piece of wood. These types of flooring construction are generally specified as three-layer single-strip boards.



OAK NATURAL



OAK SELECT



OAK BRUSHED RUSTIC



OAK RUSTIC



OAK RUSTIC, WHITE OILED



OAK BRUSHED COUNTRY



ASH NATURAL



MAPLE NATURAL



BEECH NATURAL



WALNUT AMERICAN NATURAL



CHERRY AMERICAN NATURAL



WALNUT NATURAL



DOUSSIE NATURAL



KEMPAS NATURAL




MERBAU NATURAL



JATOBA NATURAL

CLICK



1860/2085 x 135/189 x 14/15 mm



3-LAYER PREFINISHED PARQUET - fineline

Fineline design flooring is characterized by narrow strips, which gives your floor a unique lively look. You can choose among the following wood species:



OAK



BEECH



MAPLE



WALNUT AMERICAN



CHERRY AMERICAN



KEMPAS




MERBAU



HEVEA

CLICK



2200 x 190 x 15 mm