

# WINFLEX

ONE DESIGN,  
MULTIPLE POSSIBILITIES

## SPECIAL EDITION

MIX & MATCH COLLECTION

10 DECORS • 3 MATERIALS • 2 PATTERNS • 2 INSTALLATION OPTIONS





Welcome to  
Winflex  
*by Alpod*



DISCLAIMERS

Color and grain variation - Actual product color, texture, and grain may vary from printed images or samples due to production batches, lighting conditions and digital/print display limitations. We recommend viewing an actual sample before making a final selection.

Sample representation - Samples are intended to illustrate general characteristics only. Slight differences in color and pattern may occur between samples and delivered products.

One design. Three constructions.  
Total flexibility.

ONE DESIGN. MULTIPLE POSSIBILITIES.

“  
Choose the material and  
pattern that fit your space –  
the color remains the same.”

# MIX & MATCH

10 decors • 3 materials • 2 patterns • 2 installation options

OAK LOUVRE  
*decor 2000*

OAK HERMITAGE  
*decor 2001*

OAK PRADO  
*decor 2002*

OAK TATE  
*decor 2003*

OAK METROPOLITAN  
*decor 2004*

OAK VERSAILLES  
*decor 2005*

OAK BELVEDERE  
*decor 2006*

OAK PERGAMON  
*decor 2007*

OAK MONTICELLO  
*decor 2008*

OAK GUGGENHEIM  
*decor 2009*

CONSISTENCY IN DESIGN. FREEDOM IN CHOICE.



“ Create a perfectly coordinated interior with a system designed for flexibility.”

## DESIGNED TO ADAPT.

*Use click where possible. Switch to glue-down where needed.*


**Each of the 10 contemporary decors is available in three core constructions (SPC, WPC and LVT) and in two patterns: classic planks in a range of dimensions and elegant herringbone.**


This concept gives you full design freedom while maintaining visual consistency throughout the entire space. Whether you are working on a residential interior or a larger project, you can combine different formats, switch between constructions, and select the most suitable installation method for each area — all within the same decor.

From open-plan living areas to corridors, kitchens, and more demanding zones, the flooring flows seamlessly from room to room. Even when technical requirements vary, the overall appearance remains cohesive and balanced, without visual interruptions or compromises in style.

Different constructions allow you to respond to specific functional needs. When click installation is

not suitable, for example on stairs or in areas that require full adhesion, the same design can be used in LVT. This ensures continuity across all surfaces and details, delivering a complete, flexible system that combines performance with a consistent aesthetic.





# ONE DESIGN. THREE MATERIALS. TOTAL FLEXIBILITY.

*Tailored for every space.*

Each decor is available in different constructions, allowing you to adapt the flooring to the specific needs of your space, level of use, and desired comfort.

## MATERIALS OVERVIEW.

*Three materials. Three distinct performances.*

WPC (WOOD PLASTIC COMPOSITE)	SPC (STONE PLASTIC COMPOSITE)	LVT (LUXURY VINYL TILES)
Comfort • Warmth	Stability • Durability	Flexibility • Design freedom
Everyday living Maximum comfort	High-traffic areas	Versatile application Clean, precise result
Softer, more comfortable underfoot • Warm and pleasant to the touch • Enhanced acoustic performance • Better adaptation to minor subfloor irregularities	Exceptional dimensional stability • High resistance to wear and impact • Suitable for commercial use • Stable under temperature changes	Slim structure • Highly adaptable to different spaces • Clean, precise finish (no dilatation needed)
Click	Click	Glue-down

“  
Different  
dimensions. One  
cohesive look.”

**COMFORT**  
8,0/0,55 x 228 x 1830 mm

**LARGE**  
2,5/0,55 x 240 x 1520 mm

**RIGID PLUS**  
5,0/0,55 x 181 x 1220 mm

**STYLE**  
2,5/0,55 x 136 x 680 mm

**HERRINGBONE**  
5,5/0,55 x 127 x 635 mm

# PLAY WITH PROPORTION

*Flexible plank sizes for different layouts and styles.*

*Each decor is available in a range of plank sizes, allowing you to shape the space through proportion and layout.*

Choose from three different plank formats for classic installation, from compact and dynamic to wide and spacious, or opt for the smaller format designed for elegant herringbone patterns.

By combining different sizes and laying styles within the same decor, you can create subtle transitions or striking contrasts while maintaining a consistent and harmonious look throughout the interior.



# SEE IT, FEEL IT

*Look and feel of natural wood.*

*Embossed in Register (EIR) is an advanced surface technology that perfectly aligns the texture of the floor with its visual design.*

This means that every grain, knot and detail you see is also reflected in the surface structure, creating a highly authentic look and feel. The result is a floor that not only looks like real wood, but also feels natural underfoot.

With EIR technology, composite flooring reaches a new level of realism — combining the beauty of wood with the durability and practicality of modern materials.

*embossed in register surface*



## QUIET COMFORT, BUILT IN

*A built-in layer that enhances comfort, acoustics and installation efficiency.*

*All SPC and WPC floors come with an integrated cork underlayment, adding an extra layer of comfort and performance.*

Cork naturally enhances acoustic comfort by reducing impact sound and creating a quieter, more pleasant living environment. It also simplifies installation by eliminating the need for an additional underlay, saving time and ensuring a consistent result.

Fully compatible with underfloor heating, it allows efficient heat transfer while maintaining everyday comfort.



“

More comfort, less noise.



STRUCTURE OF MATERIALS.

## WPC

(Wood Plastic Composite)

*WPC combines a resilient core with enhanced comfort underfoot.*

Its softer, warmer feel and improved acoustic performance make it ideal for living spaces where comfort matters. Waterproof, easy to maintain and available in natural wood designs, it creates a calm and welcoming atmosphere in everyday use.

## SPC

(Stone Plastic Composite)

*SPC features a high-density mineral core that ensures outstanding stability and durability.*

Designed for spaces with higher demands, it performs reliably under daily wear and temperature changes. With its waterproof surface and authentic wood look, it combines long-lasting performance with a clean, modern aesthetic.

## LVT

(Luxury Vinyl Tile)

*LVT offers a slim and versatile structure, ideal for glue-down installation and precise finishes.*

It allows for seamless transitions between spaces while maintaining a consistent design. Waterproof, easy to clean and designed with authentic wood visuals, it delivers both flexibility and long-term reliability.



## Comfort

- 1 UV coating
- 2 Wear layer
- 3 PVC decor film
- 4 WPC layer
- 5 Cork underlayment



## Herringbone · Rigid Plus

- 1 UV coating
- 2 Wear layer
- 3 PVC decor film
- 4 SPC layer
- 5 Cork underlayment



## Large · Style

- 1 UV coating
- 2 Wear layer
- 3 PVC decor film
- 4 PVC layer



## WHY IT WORKS?

*Designed for comfort in everyday use.*

### BUILT FOR HEAVY USE



Use Class W33 together with 0.55 mm wear layer provides enhanced protection against intensive use, maintaining the floor's appearance over time.

### COMFORT YOU FEEL EVERY DAY



For SPC and WPC constructions, an integrated cork underlayment improves walking comfort and reduces noise, creating a calmer living environment. Winflex is also suitable for underfloor heating, ensuring a pleasant feel in every season.

### WATERPROOF AND WORRY-FREE



Thanks to its waterproof construction, Winflex can be used in areas where moisture is present. Spills, humidity, and daily cleaning are no problem, so the floor stays beautiful over time. choice for busy homes and commercial spaces.

### CHOOSE RESPONSIBLE



The Winflex flooring collection is produced using environmentally responsible methods and meets modern standards for healthy indoor living.

“ Use class W33. ”

“ Integrated cork underlayment. ”

“ Waterproof construction. ”



# FEATURES GUIDE

*Benefits at a glance.*

## PERFORMANCE

**5** **5-YEAR COMMERCIAL WARRANTY**  
Covers commercial use for up to 5 years.

**PU** **PU PROTECTIVE LAYER**  
Factory-applied polyurethane layer for added durability.

**20** **20-YEAR RESIDENTIAL WARRANTY**  
Covers residential use for up to 20 years.

**ANTISTATIC SURFACE**  
Helps reduce the buildup of static electricity.

**33** **USE CLASS W33**  
Suitable for heavy commercial use and high foot traffic.

## COMFORT & LIVING

**WARM UNDERFOOT**  
Provides a naturally warm surface feel.

**SOUND-REDUCING**  
Minimizes both impact and ambient noise.

**UNDERFLOOR HEATING COMPATIBLE**  
Can be installed on underfloor heating systems.\*

\* Before installing over underfloor heating systems, always check and follow the installation instructions.

## PRACTICAL BENEFITS

**100 % WATERPROOF**  
Surface designed to resist everyday moisture and spills.

**EASY TO CLEAN**  
Simple everyday cleaning and maintenance.

## DESIGN & PATTERNS

**CLASSIC PATTERN**  
Boards installed side by side in a continuous, single-direction layout.

**HERRINGBONE PATTERN**  
Planks laid at an angle in a repeating V-shaped formation.

## INSTALLATION SYSTEMS

**2G CLICK** **2G CLICK INSTALLATION**  
A classic angle-drop click system for simple, fast, and reliable installation.

**5G CLICK** **5G CLICK INSTALLATION**  
An advanced 5G click-lock mechanism for quick, easy, and secure installation.

**5Gi CLICK** **5Gi CLICK INSTALLATION**  
Reinforced click system for secure and stable installation.

**GLUE-DOWN INSTALLATION**  
Planks adhered directly to the subfloor for a fixed and stable fit.



## Certificates



### EPD VERIFIED

Third-party-verified Environmental Product Declaration providing standardized life-cycle metrics (e.g., carbon, energy) for this SPC flooring. Enables consistent product comparisons and supports green-building documentation (LEED/BREEAM).



### CE MARK

Declaration that the flooring meets applicable EU safety, health, and environmental requirements, backed by a Declaration of Performance. Facilitates regulatory compliance and market acceptance across the EEA.



### EUROFINS INDOOR AIR COMFORT - GOLD

Independent certification demonstrating very low VOC emissions via product testing and regular factory audits. Gold level aligns with some of Europe's strictest criteria and is recognized for low-emitting materials credits in green-building schemes.

→  
**EXPLORE THE  
COLLECTIONS**

# oak LOUVRE

**5**  
GUARANTEE FOR  
COMMERCIAL USE

**20**  
GUARANTEE FOR  
RESIDENTIAL USE



SILENT  
FLOOR



WARM  
UNDERFOOT



EASY  
MAINTENANCE



**33**  
USE CLASS  
W33



100 %  
WATERPROOF



ANTISTATIC  
SURFACE



PU PROTECTIVE  
LAYER



FLOOR HEATING  
SUITABLE\*

decor color 2000

matt & Eir surface

\* Before installing over underfloor heating systems, always check and follow the installation instructions.



**5G**  
CLICK

WPC

**COMFORT**



LVT

**LARGE**

**OAK  
LOUVRE**

color 2000

**COMFORT**  
8,0/0,55 x 228 x 1830 mm

**LARGE**  
2,5/0,55 x 240 x 1520 mm

**STYLE**  
2,5/0,55 x 136 x 680 mm

**RIGID PLUS**  
5,0/0,55 x 181 x 1220 mm

**HERRINGBONE**  
5,5/0,55 x 127 x 635 mm



LVT

**STYLE**



**5Gi**  
CLICK

SPC

**RIGID PLUS**



**2G 5Gi**  
CLICK CLICK

SPC

**HERRINGBONE**

# oak HERMITAGE

**5**  
GUARANTEE FOR  
COMMERCIAL USE

**20**  
GUARANTEE FOR  
RESIDENTIAL USE



SILENT  
FLOOR



WARM  
UNDERFOOT



EASY  
MAINTENANCE



**33**  
USE CLASS  
W33



100 %  
WATERPROOF



ANTISTATIC  
SURFACE



PU  
PROTECTIVE  
LAYER



FLOOR HEATING  
SUITABLE\*

\* Before installing over underfloor heating systems, always check and follow the installation instructions.

decor color 2001

matt & Eir surface



WPC

**5G**  
CLICK

**COMFORT**



LVT



**LARGE**

**OAK  
HERMITAGE**

color 2001

**COMFORT**  
8,0/0,55 x 228 x 1830 mm

**LARGE**  
2,5/0,55 x 240 x 1520 mm

**STYLE**  
2,5/0,55 x 136 x 680 mm

**RIGID PLUS**  
5,0/0,55 x 181 x 1220 mm

**HERRINGBONE**  
5,5/0,55 x 127 x 635 mm



LVT



**STYLE**



SPC

**5Gi**  
CLICK

**RIGID PLUS**



SPC

**2G 5Gi**  
CLICK CLICK

**HERRINGBONE**

# oak PRADO

**5**  
GUARANTEE FOR  
COMMERCIAL USE

**20**  
GUARANTEE FOR  
RESIDENTIAL USE



SILENT  
FLOOR



WARM  
UNDERFOOT



EASY  
MAINTENANCE



33  
USE CLASS  
W33



100 %  
WATERPROOF



ANTISTATIC  
SURFACE



PU  
PROTECTIVE  
LAYER



FLOOR HEATING  
SUITABLE\*

\* Before installing over underfloor heating systems, always check and follow the installation instructions.

decor color 2002



matt & EIP surface



WPC

5G  
CLICK

COMFORT



LVT



LARGE

OAK  
PRADO

color 2002

COMFORT  
8,0/0,55 x 228 x 1830 mm

LARGE  
2,5/0,55 x 240 x 1520 mm

STYLE  
2,5/0,55 x 136 x 680 mm

RIGID PLUS  
5,0/0,55 x 181 x 1220 mm

HERRINGBONE  
5,5/0,55 x 127 x 635 mm



LVT



STYLE



SPC

5Gi  
CLICK

RIGID PLUS



SPC

2G 5Gi  
CLICK CLICK

HERRINGBONE

# oak TATE

**5**  
GUARANTEE FOR  
COMMERCIAL USE

**20**  
GUARANTEE FOR  
RESIDENTIAL USE



SILENT  
FLOOR



WARM  
UNDERFOOT



EASY  
MAINTENANCE



**33**  
USE CLASS  
W33



100 %  
WATERPROOF



ANTISTATIC  
SURFACE



PU  
PROTECTIVE  
LAYER



FLOOR HEATING  
SUITABLE\*

\* Before installing over underfloor heating systems, always check and follow the installation instructions.



WPC

**5G**  
CLICK

**COMFORT**



LVT



**LARGE**

OAK

**TATE**

color 2003

**COMFORT**

8,0/0,55 x 228 x 1830 mm

**LARGE**

2,5/0,55 x 240 x 1520 mm

**STYLE**

2,5/0,55 x 136 x 680 mm

**RIGID PLUS**

5,0/0,55 x 181 x 1220 mm

**HERRINGBONE**

5,5/0,55 x 127 x 635 mm



LVT



**STYLE**



SPC

**5Gi**  
CLICK

**RIGID PLUS**



SPC

**2G** **5Gi**  
CLICK CLICK

**HERRINGBONE**

# oak METROPOLITAN

**5**  
GUARANTEE FOR  
COMMERCIAL USE

**20**  
GUARANTEE FOR  
RESIDENTIAL USE



SILENT  
FLOOR



WARM  
UNDERFOOT



EASY  
MAINTENANCE



**33**  
USE CLASS  
W33



100 %  
WATERPROOF



ANTISTATIC  
SURFACE



PU  
PROTECTIVE  
LAYER



FLOOR HEATING  
SUITABLE\*

\* Before installing over underfloor heating systems, always check and follow the installation instructions.

decor color 2004

matt & Eir surface



WPC

**5G**  
CLICK

**COMFORT**



LVT



**LARGE**

**OAK  
METROPOLITAN**

color 2004

**COMFORT**  
8,0/0,55 x 228 x 1830 mm

**LARGE**  
2,5/0,55 x 240 x 1520 mm

**STYLE**  
2,5/0,55 x 136 x 680 mm

**RIGID PLUS**  
5,0/0,55 x 181 x 1220 mm

**HERRINGBONE**  
5,5/0,55 x 127 x 635 mm



LVT



**STYLE**



SPC

**5Gi**  
CLICK

**RIGID PLUS**



SPC

**2G 5Gi**  
CLICK CLICK

**HERRINGBONE**

# oak VERSAILLES

**5**  
GUARANTEE FOR  
COMMERCIAL USE

**20**  
GUARANTEE FOR  
RESIDENTIAL USE



SILENT  
FLOOR



WARM  
UNDERFOOT



EASY  
MAINTENANCE



**33**  
USE CLASS  
W33



100 %  
WATERPROOF



ANTISTATIC  
SURFACE



PU  
PROTECTIVE  
LAYER



FLOOR HEATING  
SUITABLE\*

\* Before installing over underfloor heating systems, always check and follow the installation instructions.

decor color 2005

matt & Eir surface



WPC

**5G**  
CLICK

**COMFORT**



LVT



**LARGE**

**OAK  
VERSAILLES**

color 2005

**COMFORT**  
8,0/0,55 x 228 x 1830 mm

**LARGE**  
2,5/0,55 x 240 x 1520 mm

**STYLE**  
2,5/0,55 x 136 x 680 mm

**RIGID PLUS**  
5,0/0,55 x 181 x 1220 mm

**HERRINGBONE**  
5,5/0,55 x 127 x 635 mm



LVT



**STYLE**



SPC

**5Gi**  
CLICK

**RIGID PLUS**



SPC

**2G 5Gi**  
CLICK CLICK

**HERRINGBONE**

# oak BELVEDERE

**5**  
GUARANTEE FOR  
COMMERCIAL USE

**20**  
GUARANTEE FOR  
RESIDENTIAL USE



SILENT  
FLOOR



WARM  
UNDERFOOT



EASY  
MAINTENANCE



33  
USE CLASS  
W33



100 %  
WATERPROOF



ANTISTATIC  
SURFACE



PU  
PROTECTIVE  
LAYER



FLOOR HEATING  
SUITABLE\*



decor color 2006



matt & Eir surface



WPC

5G  
CLICK

**COMFORT**



LVT



**LARGE**

**OAK  
BELVEDERE**

color 2006

**COMFORT**  
8,0/0,55 x 228 x 1830 mm

**LARGE**  
2,5/0,55 x 240 x 1520 mm

**STYLE**  
2,5/0,55 x 136 x 680 mm

**RIGID PLUS**  
5,0/0,55 x 181 x 1220 mm

**HERRINGBONE**  
5,5/0,55 x 127 x 635 mm



LVT



**STYLE**



SPC

5Gi  
CLICK

**RIGID PLUS**



SPC

2G 5Gi  
CLICK CLICK

**HERRINGBONE**

\* Before installing over underfloor heating systems, always check and follow the installation instructions.

# oak PERGAMON

**5**  
GUARANTEE FOR  
COMMERCIAL USE

**20**  
GUARANTEE FOR  
RESIDENTIAL USE



SILENT  
FLOOR



WARM  
UNDERFOOT



EASY  
MAINTENANCE



**33**  
USE CLASS  
W33



100 %  
WATERPROOF



ANTISTATIC  
SURFACE



PU  
PROTECTIVE  
LAYER



FLOOR HEATING  
SUITABLE\*

\* Before installing over underfloor heating systems, always check and follow the installation instructions.



decor color 2007

matt & EIP surface



**5G**  
CLICK

WPC

**COMFORT**



LVT

**LARGE**

**OAK  
PERGAMON**

color 2007

**COMFORT**  
8,0/0,55 x 228 x 1830 mm

**LARGE**  
2,5/0,55 x 240 x 1520 mm

**STYLE**  
2,5/0,55 x 136 x 680 mm

**RIGID PLUS**  
5,0/0,55 x 181 x 1220 mm

**HERRINGBONE**  
5,5/0,55 x 127 x 635 mm



LVT

**STYLE**



**5Gi**  
CLICK

SPC

**RIGID PLUS**



SPC

**2G 5Gi**  
CLICK CLICK

**HERRINGBONE**

# oak MONTICELLO

**5**  
GUARANTEE FOR  
COMMERCIAL USE

**20**  
GUARANTEE FOR  
RESIDENTIAL USE



SILENT  
FLOOR



WARM  
UNDERFOOT



EASY  
MAINTENANCE



**33**  
USE CLASS  
W33



100 %  
WATERPROOF



ANTISTATIC  
SURFACE



PU  
PROTECTIVE  
LAYER



FLOOR HEATING  
SUITABLE\*



decor color 2008



matt & Eip surface

\* Before installing over underfloor heating systems, always check and follow the installation instructions.



WPC

**5G**  
CLICK

**COMFORT**



LVT

**LARGE**

OAK  
**MONTICELLO**  
color 2008

**COMFORT**  
8,0/0,55 x 228 x 1830 mm

**LARGE**  
2,5/0,55 x 240 x 1520 mm

**STYLE**  
2,5/0,55 x 136 x 680 mm

**RIGID PLUS**  
5,0/0,55 x 181 x 1220 mm

**HERRINGBONE**  
5,5/0,55 x 127 x 635 mm



LVT

**STYLE**



SPC

**5Gi**  
CLICK

**RIGID PLUS**



SPC

**2G 5Gi**  
CLICK CLICK

**HERRINGBONE**

# oak GUGGENHEIM

**5**  
GUARANTEE FOR  
COMMERCIAL USE

**20**  
GUARANTEE FOR  
RESIDENTIAL USE



SILENT  
FLOOR



WARM  
UNDERFOOT



EASY  
MAINTENANCE



33  
USE CLASS  
W33



100 %  
WATERPROOF



ANTISTATIC  
SURFACE



PU  
PROTECTIVE  
LAYER



FLOOR HEATING  
SUITABLE\*

\* Before installing over underfloor heating systems, always check and follow the installation instructions.



decor color 2009



matt & Eip surface



WPC

5G  
CLICK

COMFORT



LVT



LARGE

OAK  
GUGGENHEIM

color 2009

COMFORT  
8,0/0,55 x 228 x 1830 mm

LARGE  
2,5/0,55 x 240 x 1520 mm

STYLE  
2,5/0,55 x 136 x 680 mm

RIGID PLUS  
5,0/0,55 x 181 x 1220 mm

HERRINGBONE  
5,5/0,55 x 127 x 635 mm



LVT



STYLE



SPC

5Gi  
CLICK

RIGID PLUS



SPC

2G 5Gi  
CLICK CLICK

HERRINGBONE



*DISCLAIMERS*

*Color and grain variation - Actual product color, texture, and grain may vary from printed images or samples due to production batches, lighting conditions and digital/print display limitations. We recommend viewing an actual sample before making a final selection.*

*Sample representation - Samples are intended to illustrate general characteristics only. Slight differences in color and pattern may occur between samples and delivered products.*



ALPOD D.O.O.

PODSKRAJNIK 112 / 1380 CERKNICA / SLOVENIA



[alpod.eu](http://alpod.eu)