

WINFLEX

WATERPROOF LVT FLOORING



WATERPROOF



ALPOD



DISCLAIMERS

Color and grain variation - Actual product color, texture, and grain may vary from printed images or samples due to production batches, lighting conditions and digital/print display limitations. We recommend viewing an actual sample before making a final selection.

Sample representation - Samples are intended to illustrate general characteristics only. Slight differences in color and pattern may occur between samples and delivered products.

Welcome to
Winflex
by Alpod

Created for
everyday living.

Decor
OAK PERGAMON



“

Designed for
modern interiors.

WINFLEX LVT

*The Winflex LVT (Luxury Vinyl Tiles) collection combines contemporary **wood and stone visuals** with the performance demanded by modern interiors.*

*From **classic planks to elegant herringbone and chevron patterns**, as well as large-format designs, the collection offers a wide selection of decors, dimensions, and laying patterns for different interior styles.*

*Selected wood decors are also available with **matt surfaces and Embossed in Register (EIR)** technology, creating an even more authentic look and feel of natural wood.*

*Thanks to **glue-down installation, low installation height, and excellent dimensional stability**, Winflex LVT is an ideal solution for **modern homes, commercial spaces, and architectural projects**.*

Slim structure. Flexible performance.

STRUCTURE OF MATERIAL

Winflex LVT features a slim and flexible multi-layer construction designed for reliable everyday performance and precise glue-down installation.

Its low installation height makes it ideal for renovations, seamless transitions between spaces, and projects where clean architectural details matter.

“
Designed for
precision, stability,
and everyday
comfort.”



- 1 **UV coating**
Protective top layer for improved durability and easier maintenance.
- 2 **Wear layer**
Highly resistant layer that protects the floor from daily wear, scratches, and intensive use.
- 3 **PVC decor film**
Decorative layer that creates the authentic wood or stone appearance.
- 4 **PVC layer**
Flexible and stable base layer that provides structural support and installation precision.

“
Created for
modern lifestyles.”

BUILT FOR EVERYDAY LIVING.

Winflex LVT is designed for everyday use — from calm residential interiors to demanding commercial environments.

The **waterproof construction, 0,55 mm wear layer, W33 use class**, and easy maintenance ensure long-lasting appearance and worry-free performance.

The collection also supports modern **environmental and indoor living standards**. All products are certified with EPD and Indoor Air Comfort, confirming low emissions and a responsible approach to healthier interior environments.



PRODUCT SPECIFICATIONS

CHARACTERISTIC	RESULT LVT	REQUIREMENTS	STANDARDS
Phtalate tests	Free	N/A	EN 14372:2004
Light stability	Grade 6	N/A	ISO B02:1994
Dimension stability	x = direction: 0,11 % y = direction: 0,11 %	< 0,25 %	EN 434
Resistance to chemicals	No change in surface dulling, surface attack, or staining was detected.	No more than slight change in surface dulling, surface attack, or staining.	EN 374
Castor chair resistance	After 25000 cycles no visible damage.	N/A	EN 425
Abrasion resistance	0,55 mm wear layer – W33	N/A	EN 13329
Penthachlorophenol (PCP)	N/A	N/A	CEN/TR 14823:2003
Formaldehyde emission	≤ 0,004mg/m ³	≤ 0,08mg/m ³	EN 717-1:2004
Fire resistance	Bfl-s1	N/A	EN 13501-1
Slip resistance	μ = 0,36 Class DS, R10	μ > 0,3	EN 13893:2003
Squareness	Max = 0,05 mm / 180 mm Max = 0,1 mm / 1220 mm	<0,25/305 mm	ASTM F2055-17
Thermal conductivity	0,114 W/(mK)	N/A	EN14234

PRODUCT	GUARANTEE DOMESTIC	GUARANTEE COMMERCIAL	ABRASION CLASS	JOINT TYPE	FLOOR HEATING	CLASS	M ² /PACK	BOX/PALL
PRO	20 YEARS	5 YEARS	33	GLUE DOWN		W33	3,6712 2,7540	44 60
LARGE	20 YEARS	5 YEARS	33	GLUE DOWN		W33	3,6480	48
PRO STONE	20 YEARS	5 YEARS	33	GLUE DOWN		W33	4,3920	32
STYLE	20 YEARS	5 YEARS	33	GLUE DOWN		W33	2,5894	72
CHALET	20 YEARS	5 YEARS	33	GLUE DOWN		W33	2,4010	96

Certificates



EPD VERIFIED

Third-party-verified Environmental Product Declaration providing standardized life-cycle metrics (e.g., carbon, energy) for this SPC flooring. Enables consistent product comparisons and supports green-building documentation (LEED/BREEAM).



CE MARK

Declaration that the flooring meets applicable EU safety, health, and environmental requirements, backed by a Declaration of Performance. Facilitates regulatory compliance and market acceptance across the EEA.



EUROFINS INDOOR AIR COMFORT - GOLD

Independent certification demonstrating very low VOC emissions via product testing and regular factory audits. Gold level aligns with some of Europe's strictest criteria and is recognized for low-emitting materials credits in green-building schemes.

“

Tailored to different spaces and interior styles.



DIFFERENT FORMATS. **DIFFERENT CHARACTERS.**

Each Winflex LVT subcollection is designed with a different spatial feeling in mind.

Large formats create an open and elegant appearance, herringbone and chevron patterns add a sense of movement and sophistication, while stone decors bring a modern architectural expression into the interior.

Selected wood decors with matt finishes and Embossed in Register (EIR) technology further enhance the natural appearance of the floor by synchronizing the surface texture with the wood design.

Different formats, surfaces, and dimensions allow complete flexibility — from warm residential spaces to contemporary commercial interiors.

“
Proportion
changes the
feeling of space.”

PRO

2,5/0,55 x 187 x 1227 mm

LARGE

2,5/0,55 x 240 x 1520 mm

PRO STONE

2,5/0,55 x 480 x 915 mm

STYLE

2,5/0,55 x 136 x 680 mm

CHALET

2,5/0,55 x 152 x 718 mm





FEATURES GUIDE

Benefits at a glance.




5-YEAR COMMERCIAL WARRANTY

Covers commercial use for up to 5 years.



20-YEAR DOMESTIC WARRANTY

Covers domestic use for up to 20 years.




USE CLASS 33

Suitable for heavy commercial use and high foot traffic.



GLUE-DOWN INSTALLATION

Planks adhered directly to the subfloor for a fixed and stable fit.



SOUND-REDUCING

Minimizes both impact and ambient noise.



100 % WATERPROOF

Surface designed to resist everyday moisture and spills.



WARM UNDERFOOT

Provides a naturally warm surface feel.



SLIP RESISTANT

A secure, non-slip surface to help prevent accidents.



PU PROTECTIVE LAYER

Factory-applied polyurethane layer for added durability.



ANTISTATIC SURFACE

Helps reduce the buildup of static electricity.



EASY TO CLEAN

Simple everyday cleaning and maintenance.



DIMENSIONALLY STABLE

Resists shifting, warping, or deformation over time.



EASY INSTALLATION

Quick and straightforward installation.



ABRASION RESISTANT

Withstands wear and tear from foot traffic.



UNDERFLOOR HEATING COMPATIBLE

Can be installed on underfloor heating systems.*




EMBOSSSED IN REGISTER (EIR)

Surface texture synchronized with the wood design for a highly authentic natural wood look and feel.

** Before installing over underfloor heating systems, always check and follow the installation instructions.*


WINFLEX PRO

Collection



OAK BURGUNDY

1009




WALNUT LA PAZ

1010




OAK NEVADA

1011




OAK LOUNGE

1012



OAK NORTHLAND

1020




PINE FOREST

1022



OAK ORLANDO

1136



OAK CHICAGO

1137



OAK HOUSTON

1138




OAK SEATTLE

1140



OAK BOSTON

1141



OAK DETROIT

1142



OAK DALLAS

1143



OAK SYDNEY

1215



OAK AUCKLAND

1216



OAK BRISBANE

1217



OAK ADELAIDA

1218



OAK MELBOURNE

1219

WINFLEX LARGE


Collection




OAK LOUVRE
2000




OAK HERMITAGE
2001



OAK PRADO
2002




OAK TATE
2003



OAK METROPOLITAN
2004




OAK VERSAILLES
2005



OAK BELVEDERE
2006



OAK PERGAMON
2007



OAK MONTICELLO
2008



OAK GUGGENHEIM
2009


WINFLEX PRO STONE

Collection




STONE SLATE

1092



STONE MISSISSIPPI

1105




STONE NILE

1106



CERAMIC LEVANTO

1238



CONCRETE BEIGE

1239



CONCRETE GREY

1240




TERAZZO DARK

1241



TERAZZO LIGHT

1242



MARBLE LEVANTO

1252




CROMIX GREY


1253

WINFLEX STYLE


Collection




OAK LOUVRE
2000




OAK HERMITAGE
2001




OAK PRADO
2002




OAK TATE
2003




OAK METROPOLITAN
2004



OAK VERSAILLES
2005




OAK BELVEDERE
2006



OAK PERGAMON
2007



OAK MONTICELLO
2008



OAK GUGGENHEIM
2009

WINFLEX CHALET

Collection




OAK ARDENNES

1226




OAK TAIGA

1227




OAK YELLOWSTONE

1228



OAK DESERT

1229



OAK SAVANNAH

1230



OAK SCHWARZWALD

1231



WINFLEX PRO


[« BACK](#)

BURGUNDY

PRO

OAK BURGUNDY

1009

[SEE PRODUCT](#)
Dimensions

2,5/0,55 x 187 x 1227 mm

Use class

W33

Installation

Glue-down

Bevel

4-sided

Surface

Rustic





LA PAZ

PRO

WALNUT LA PAZ

1010

[SEE PRODUCT](#)

<i>Dimensions</i>	2,5/0,55 x 187 x 1227 mm
<i>Use class</i>	W33
<i>Installation</i>	Glue-down
<i>Bevel</i>	4-sided
<i>Surface</i>	Rustic





« BACK



NEVADA

PRO

OAK NEVADA

1011

[SEE PRODUCT](#)

Dimensions	2,5/0,55 x 187 x 1227 mm
Use class	W33
Installation	Glue-down
Bevel	4-sided
Surface	Rustic





LOUNGE

PRO

OAK LOUNGE

1012

[SEE PRODUCT](#)

<i>Dimensions</i>	2,5/0,55 x 187 x 1227 mm
<i>Use class</i>	W33
<i>Installation</i>	Glue-down
<i>Bevel</i>	4-sided
<i>Surface</i>	Rustic




[« BACK](#)

NORTHLAND

PRO

OAK NORTHLAND

1020

[SEE PRODUCT](#)

Dimensions

2,5/0,55 x 187 x 1227 mm

Use class

W33

Installation

Glue-down

Bevel

4-sided

Surface

Rustic





FOREST

PRO

PINE FOREST

1022

[SEE PRODUCT](#)

<i>Dimensions</i>	2,5/0,55 x 187 x 1227 mm
<i>Use class</i>	W33
<i>Installation</i>	Glue-down
<i>Bevel</i>	4-sided
<i>Surface</i>	Sawn cut




[« BACK](#)

ORLANDO

PRO

OAK ORLANDO

1136

[SEE PRODUCT](#)

Dimensions

2,5/0,55 x 187 x 1227 mm

Use class

W33

Installation

Glue-down

Bevel

4-sided

Surface

Wood grain





CHICAGO

PRO


OAK CHICAGO

1137

[SEE PRODUCT](#)

Dimensions	2,5/0,55 x 187 x 1227 mm
Use class	W33
Installation	Glue-down
Bevel	4-sided
Surface	Wood grain




[« BACK](#)


HOUSTON

PRO

OAK HOUSTON

1138

[SEE PRODUCT](#)

Dimensions

2,5/0,55 x 187 x 1227 mm

Use class

W33

Installation

Glue-down

Bevel

4-sided

Surface

Wood grain





SEATTLE

PRO

OAK SEATTLE

1140

[SEE PRODUCT](#)

Dimensions	2,5/0,55 x 187 x 1227 mm
Use class	W33
Installation	Glue-down
Bevel	4-sided
Surface	Wood grain




[« BACK](#)

BOSTON

PRO

OAK BOSTON

1141

[SEE PRODUCT](#)

Dimensions

2,5/0,55 x 187 x 1227 mm

Use class

W33

Installation

Glue-down

Bevel

4-sided

Surface

Wood grain





DETROIT

PRO

OAK DETROIT

1142

[SEE PRODUCT](#)

<i>Dimensions</i>	2,5/0,55 x 187 x 1227 mm
<i>Use class</i>	W33
<i>Installation</i>	Glue-down
<i>Bevel</i>	4-sided
<i>Surface</i>	Wood grain




[« BACK](#)

DALLAS

PRO

OAK DALLAS

1143

[SEE PRODUCT](#)
Dimensions

2,5/0,55 x 187 x 1227 mm

Use class

W33

Installation

Glue-down

Bevel

4-sided

Surface

Wood grain





SYDNEY

PRO

OAK SYDNEY

1215

[SEE PRODUCT](#)

<i>Dimensions</i>	2,5/0,55 x 187 x 1227 mm
<i>Use class</i>	W33
<i>Installation</i>	Glue-down
<i>Bevel</i>	4-sided
<i>Surface</i>	Wood grain, UV matt



MATT SURFACE




[« BACK](#)

AUCKLAND

PRO

OAK AUCKLAND

1216

[SEE PRODUCT](#)

Dimensions

2,5/0,55 x 187 x 1227 mm

Use class

W33

Installation

Glue-down

Bevel

4-sided

Surface

Wood grain, UV matt



MATT SURFACE



BRISBANE

PRO

OAK BRISBANE

1217

[SEE PRODUCT](#)

<i>Dimensions</i>	2,5/0,55 x 187 x 1227 mm
<i>Use class</i>	W33
<i>Installation</i>	Glue-down
<i>Bevel</i>	4-sided
<i>Surface</i>	Wood grain, UV matt



MATT SURFACE




[« BACK](#)

ADELAIDA

PRO

OAK ADELAIDA

1218

[SEE PRODUCT](#)
Dimensions

2,5/0,55 x 187 x 1227 mm

Use class

W33

Installation

Glue-down

Bevel

4-sided

Surface

Wood grain, UV matt



MATT SURFACE



MELBOURNE

PRO

OAK MELBOURNE

1219

[SEE PRODUCT](#)

<i>Dimensions</i>	2,5/0,55 x 187 x 1227 mm
<i>Use class</i>	W33
<i>Installation</i>	Glue-down
<i>Bevel</i>	4-sided
<i>Surface</i>	Wood grain, UV matt



MATT SURFACE





Decor
OAK GUGGENHEIM

WINFLEX
LARGE


[« BACK](#)

LOUVRE

LARGE

OAK LOUVRE

2000

[SEE PRODUCT](#)
Dimensions

2,5/0,55 x 240 x 1520 mm

Use class

W33

Installation

Glue-down

Bevel

4-sided

Surface

EIR, UV matt



EMBOSSED IN REGISTER SURFACE,
MATT SURFACE



HERMITAGE

LARGE

OAK HERMITAGE

2001

[SEE PRODUCT](#)

<i>Dimensions</i>	2,5/0,55 x 240 x 1520 mm
<i>Use class</i>	W33
<i>Installation</i>	Glue-down
<i>Bevel</i>	4-sided
<i>Surface</i>	EIR, UV matt



EMBOSSSED IN REGISTER SURFACE,
MATT SURFACE




[« BACK](#)

PRADO

LARGE

OAK PRADO

2002

[SEE PRODUCT](#)

Dimensions

2,5/0,55 x 240 x 1520 mm

Use class

W33

Installation

Glue-down

Bevel

4-sided

Surface

EIR, UV matt



EMBOSSED IN REGISTER SURFACE,
MATT SURFACE



TATE

LARGE

OAK
TATE

2003

[SEE PRODUCT](#)*Dimensions*

2,5/0,55 x 240 x 1520 mm

Use class

W33

Installation

Glue-down

Bevel

4-sided

Surface

EIR, UV matt

EMBOSSED IN REGISTER SURFACE,
MATT SURFACE


[« BACK](#)

METROPOLITAN

LARGE

OAK METROPOLITAN

2004

[SEE PRODUCT](#)

Dimensions

2,5/0,55 x 240 x 1520 mm

Use class

W33

Installation

Glue-down

Bevel

4-sided

Surface

EIR, UV matt



EMBOSSED IN REGISTER SURFACE,
MATT SURFACE



VERSAILLES


LARGE

OAK VERSAILLES

2005

[SEE PRODUCT](#)

<i>Dimensions</i>	2,5/0,55 x 240 x 1520 mm
<i>Use class</i>	W33
<i>Installation</i>	Glue-down
<i>Bevel</i>	4-sided
<i>Surface</i>	EIR, UV matt



EMBOSSED IN REGISTER SURFACE,
MATT SURFACE




[« BACK](#)


BELVEDERE

LARGE

OAK BELVEDERE

2006

[SEE PRODUCT](#)

Dimensions 2,5/0,55 x 240 x 1520 mm

Use class W33

Installation Glue-down

Bevel 4-sided

Surface EIR, UV matt



EMBOSSED IN REGISTER SURFACE,
MATT SURFACE



PERGAMON


LARGE

OAK PERGAMON

2007

[SEE PRODUCT](#)

<i>Dimensions</i>	2,5/0,55 x 240 x 1520 mm
<i>Use class</i>	W33
<i>Installation</i>	Glue-down
<i>Bevel</i>	4-sided
<i>Surface</i>	EIR, UV matt



EMBOSSED IN REGISTER SURFACE,
MATT SURFACE





« BACK



MONTICELLO

LARGE

OAK MONTICELLO

2008

[SEE PRODUCT](#)

Dimensions 2,5/0,55 x 240 x 1520 mm

Use class W33

Installation Glue-down

Bevel 4-sided

Surface EIR, UV matt



EMBOSSED IN REGISTER SURFACE,
MATT SURFACE



GUGGENHEIM

LARGE

OAK GUGGENHEIM

2009

[SEE PRODUCT](#)

<i>Dimensions</i>	2,5/0,55 x 240 x 1520 mm
<i>Use class</i>	W33
<i>Installation</i>	Glue-down
<i>Bevel</i>	4-sided
<i>Surface</i>	EIR, UV matt



EMBOSSED IN REGISTER SURFACE,
MATT SURFACE





Decor
CROMIX GREY

WINFLEX
PRO STONE


[« BACK](#)

SLATE

PRO STONE

STONE SLATE

1092

[SEE PRODUCT](#)
Dimensions

2,5/0,55 x 480 x 915 mm

Use class

W33

Installation

Glue-down

Bevel

4-sided

Surface

Slate, UV matt



MATT SURFACE



MISSISSIPPI

PRO STONE

STONE MISSISSIPPI

1105

[SEE PRODUCT](#)

<i>Dimensions</i>	2,5/0,55 x 480 x 915 mm
<i>Use class</i>	W33
<i>Installation</i>	Glue-down
<i>Bevel</i>	4-sided
<i>Surface</i>	Slate, UV matt



MATT SURFACE




[« BACK](#)


NILE

PRO STONE

STONE NILE

1106

[SEE PRODUCT](#)

Dimensions

2,5/0,55 x 480 x 915 mm

Use class

W33

Installation

Glue-down

Bevel

4-sided

Surface

Slate, UV matt



MATT SURFACE



LEVANTO

PRO STONE

CERAMIC
LEVANTO

1238

[SEE PRODUCT](#)

Dimensions	2,5/0,55 x 480 x 915 mm
Use class	W33
Installation	Glue-down
Bevel	4-sided
Surface	Slate, UV matt



MATT SURFACE




[« BACK](#)

BEIGE

PRO STONE

CONCRETE BEIGE

1239

[SEE PRODUCT](#)
Dimensions

2,5/0,55 x 480 x 915 mm

Use class

W33

Installation

Glue-down

Bevel

4-sided

Surface

Slate, UV matt



MATT SURFACE



GREY

PRO STONE

CONCRETE GREY

1240

[SEE PRODUCT](#)
Dimensions

2,5/0,55 x 480 x 915 mm

Use class

W33

Installation

Glue-down

Bevel

4-sided

Surface

Slate, UV matt



MATT SURFACE




[« BACK](#)


DARK

PRO STONE

TERAZZO DARK

1241

[SEE PRODUCT](#)

Dimensions

2,5/0,55 x 480 x 915 mm

Use class

W33

Installation

Glue-down

Bevel

4-sided

Surface

Slate, UV matt



MATT SURFACE



LIGHT

PRO STONE

TERAZZO LIGHT

1242

[SEE PRODUCT](#)

<i>Dimensions</i>	2,5/0,55 x 480 x 915 mm
<i>Use class</i>	W33
<i>Installation</i>	Glue-down
<i>Bevel</i>	4-sided
<i>Surface</i>	Slate, UV matt



MATT SURFACE




[« BACK](#)


LEVANTO

PRO STONE

MARBLE LEVANTO

1252

[SEE PRODUCT](#)

Dimensions

2,5/0,55 x 480 x 915 mm

Use class

W33

Installation

Glue-down

Bevel

4-sided

Surface

Slate, UV matt



MATT SURFACE



GREY

PRO STONE

CROMIX GREY

1253

[SEE PRODUCT](#)

<i>Dimensions</i>	2,5/0,55 x 480 x 915 mm
<i>Use class</i>	W33
<i>Installation</i>	Glue-down
<i>Bevel</i>	4-sided
<i>Surface</i>	Slate, UV matt



MATT SURFACE





Decor
OAK GUGGENHEIM

WINFLEX STYLE


[« BACK](#)

LOUVRE

STYLE

OAK LOUVRE

2000

[SEE PRODUCT](#)

Dimensions 2,5/0,55 x 136 x 680 mm

Use class W33

Installation Glue-down

Bevel 4-sided

Surface EIR, UV matt



EMBOSSED IN REGISTER SURFACE,
MATT SURFACE



HERMITAGE

STYLE

OAK HERMITAGE

2001

[SEE PRODUCT](#)

<i>Dimensions</i>	2,5/0,55 x 136 x 680 mm
<i>Use class</i>	W33
<i>Installation</i>	Glue-down
<i>Bevel</i>	4-sided
<i>Surface</i>	EIR, UV matt



EMBOSSED IN REGISTER SURFACE,
MATT SURFACE





« BACK

PRADO

STYLE

OAK PRADO

2002

[SEE PRODUCT](#)

Dimensions

2,5/0,55 x 136 x 680 mm

Use class

W33

Installation

Glue-down

Bevel

4-sided

Surface

EIR, UV matt



EMBOSSED IN REGISTER SURFACE,
MATT SURFACE



TATE

STYLE

OAK TATE

2003

[SEE PRODUCT](#)
Dimensions

2,5/0,55 x 136 x 680 mm

Use class

W33

Installation


Glue-down

Bevel

4-sided

Surface

EIR, UV matt



EMBOSSED IN REGISTER SURFACE,
MATT SURFACE




[« BACK](#)

METROPOLITAN

STYLE

OAK METROPOLITAN

2004

[SEE PRODUCT](#)

Dimensions 2,5/0,55 x 136 x 680 mm

Use class W33

Installation Glue-down

Bevel 4-sided

Surface EIR, UV matt



EMBOSSED IN REGISTER SURFACE,
MATT SURFACE



VERSAILLES


STYLE

OAK VERSAILLES

2005

[SEE PRODUCT](#)

<i>Dimensions</i>	2,5/0,55 x 136 x 680 mm
<i>Use class</i>	W33
<i>Installation</i>	Glue-down
<i>Bevel</i>	4-sided
<i>Surface</i>	EIR, UV matt



EMBOSSED IN REGISTER SURFACE,
MATT SURFACE




[« BACK](#)


BELVEDERE

STYLE

OAK BELVEDERE

2006

[SEE PRODUCT](#)

Dimensions 2,5/0,55 x 136 x 680 mm

Use class W33

Installation Glue-down

Bevel 4-sided

Surface EIR, UV matt



EMBOSSED IN REGISTER SURFACE,
MATT SURFACE



PERGAMON

STYLE

OAK PERGAMON

2007


[SEE PRODUCT](#)

<i>Dimensions</i>	2,5/0,55 x 136 x 680 mm
<i>Use class</i>	W33
<i>Installation</i>	Glue-down
<i>Bevel</i>	4-sided
<i>Surface</i>	EIR, UV matt



EMBOSSED IN REGISTER SURFACE,
MATT SURFACE





« BACK

MONTICELLO

STYLE

OAK MONTICELLO

2008

[SEE PRODUCT](#)


Dimensions 2,5/0,55 x 136 x 680 mm

Use class W33

Installation Glue-down

Bevel 4-sided

Surface EIR, UV matt



EMBOSSED IN REGISTER SURFACE,
MATT SURFACE



GUGGENHEIM

STYLE

OAK GUGGENHEIM

2009

[SEE PRODUCT](#)

<i>Dimensions</i>	2,5/0,55 x 136 x 680 mm
<i>Use class</i>	W33
<i>Installation</i>	Glue-down
<i>Bevel</i>	4-sided
<i>Surface</i>	EIR, UV matt



EMBOSSED IN REGISTER SURFACE,
MATT SURFACE





Decor
OAK SCHWARZWALD

WINFLEX CHALET


[« BACK](#)

ARDENNES

CHALET

OAK ARDENNES

1226

[SEE PRODUCT](#)

Dimensions 2,5/0,55 x 152 x 718 mm

Use class W33

Installation Glue-down

Bevel 4-sided

Surface EIR, UV matt



EMBOSSED IN REGISTER SURFACE,
MATT SURFACE



TAIGA

CHALET

OAK TAIGA

1227

[SEE PRODUCT](#)

Dimensions	2,5/0,55 x 152 x 718 mm
Use class	W33
Installation	Glue-down
Bevel	4-sided
Surface	EIR, UV matt



EMBOSSSED IN REGISTER SURFACE,
MATT SURFACE


[« BACK](#)


YELLOWSTONE

CHALET

OAK YELLOWSTONE

1228

[SEE PRODUCT](#)

Dimensions 2,5/0,55 x 152 x 718 mm

Use class W33

Installation Glue-down

Bevel 4-sided

Surface EIR, UV matt



EMBOSSSED IN REGISTER SURFACE,
MATT SURFACE



DESERT

CHALET

OAK DESERT

1229


[SEE PRODUCT](#)

<i>Dimensions</i>	2,5/0,55 x 152 x 718 mm
<i>Use class</i>	W33
<i>Installation</i>	Glue-down
<i>Bevel</i>	4-sided
<i>Surface</i>	EIR, UV matt



EMBOSSED IN REGISTER SURFACE,
MATT SURFACE




[« BACK](#)

SAVANNAH

CHALET

OAK SAVANNAH

1230

[SEE PRODUCT](#)

Dimensions 2,5/0,55 x 152 x 718 mm

Use class W33


Installation Glue-down

Bevel 4-sided

Surface EIR, UV matt



EMBOSSED IN REGISTER SURFACE,
MATT SURFACE



SCHWARZWALD

CHALET

OAK SCHWARZWALD

1231

[SEE PRODUCT](#)

<i>Dimensions</i>	2,5/0,55 x 152 x 718 mm
<i>Use class</i>	W33
<i>Installation</i>	Glue-down
<i>Bevel</i>	4-sided
<i>Surface</i>	EIR, UV matt



EMBOSSED IN REGISTER SURFACE,
MATT SURFACE





DISCLAIMERS

Color and grain variation - Actual product color, texture, and grain may vary from printed images or samples due to production batches, lighting conditions and digital/print display limitations. We recommend viewing an actual sample before making a final selection.

Sample representation - Samples are intended to illustrate general characteristics only. Slight differences in color and pattern may occur between samples and delivered products.



ALPOD D.O.O.

PODSKRAJNIK 112 / 1380 CERKNICA / SLOVENIA



alpod.eu

Exclusively at your retailer